

Xesar

Installation Instructions

Windows Server 2019 Datacenter Hypervisor

Imprint

Product code: I.AN.INS.X.R3-1.HYPV.SEN | 22R1

Version: Xesar 3.1 | 3.1.x

Edition: 02/2022 UK

The original operating manual was written in German.

Publisher

EVVA Sicherheitstechnologie GmbH

Responsible for content

EVVA Sicherheitstechnologie GmbH

This edition shall not longer be valid upon publication of a new system manual.

You can find the latest edition in the EVVA download area:



<https://www.evva.com/uk-en/service/downloads/>

All rights reserved. This system manual must not be reproduced, copied or adapted neither in full or in part using electronic, mechanical or chemical methods or any other procedures without the written consent of the publisher.

We shall not assume any liability for technical or printing errors and their potential consequences. However, the data in this system manual is revised regularly and corrections are incorporated.

All trademarks and industrial property rights reserved. We reserve the rights to make adaptations and update the document without prior notification.

Table of contents

| | | |
|-----|---|----|
| 1 | INTRODUCTION..... | 4 |
| 1.1 | General legal notes | 4 |
| 1.2 | EVVA Support..... | 5 |
| 1.3 | Explanation of symbols | 6 |
| 2 | INSTALLATION INSTRUCTIONS WINDOWS SERVER 2019 DATACENTER HYPERVISOR..... | 7 |
| 2.1 | Requirements | 8 |
| 2.2 | Set up Ubuntu | 9 |
| 2.3 | Install Ubuntu updates..... | 10 |
| 2.4 | Set up Windows 10 Pro Administrator PC..... | 11 |
| 2.5 | Xesar 3.1 installation | 13 |

1 Introduction

This document is an excerpt from the Xesar 3.1 system manual.

The products and/or systems described in the Xesar system manual must exclusively be operated by persons that have been adequately qualified for the corresponding task. Qualified personnel is able to identify risks when handling products/systems and prevent potential hazards on the basis of their expertise.

1.1 General legal notes

EVVA shall conclude the contract for the use of Xesar on the basis of the EVVA GTC (General Terms and Conditions) and EVVA GTC (General Terms and Conditions) for the software for the product.

You can call up the EVVA General Terms and Conditions and EVVA General Terms and Conditions:



<https://www.evva.com/uk-en/legal-notice/>



Please note that the use of the Xesar locking system may trigger legal obligations, in particular data protection authorisation, reporting and registration obligations (e.g. when setting up an information network system), as well as employee co-determination rights when used in companies. The user shall bear the responsibility for the legally compliant use of the product.



The above information must be observed in accordance with the manufacturer's liability for its products as defined in the Product Liability Act and must be communicated to operators and users. Non-compliance releases EVVA from any liability.

Unauthorised use, repair work or modifications not authorised by EVVA and improper service may lead to malfunctions and must therefore be avoided. Changes not expressly approved by EVVA will result in the loss of liability, warranty and separately agreed guarantee claims.



Keep the system components away from small children and pets. Risk of suffocation due to small parts that can be swallowed.



EVVA provides **architects and consulting institutions** with all the product information they need to comply with their information and instruction obligations under the Product Liability Act.

Specialist retailers and installers must comply with the information in EVVA documentation and they must pass on such information to customers, where applicable.

Additional information can be found in the Xesar product catalogue:



<https://www.evva.com/uk-en/xesar>

1.2 EVVA Support

With Xesar, you have a sophisticated and tested locking system at your disposal. If you require additional support, please contact your EVVA partner directly.

You can access the list of certified EVVA Partners here:



<https://www.evva.com/uk-en/retailer-search/>

Activate the “Electronics Partner” filter option to search specifically for EVVA partners who sell electronic EVVA locking systems and have qualified specialist knowledge.



<http://support.evva.at/xesar/en/>








General information on Xesar can be found here:



<https://www.evva.com/uk-en/xesar>

1.3 Explanation of symbols

The following symbols are used in the system manual to support illustration:

| Symbol | Meaning |
|---|--|
|  | Attention, risk of material damage in the event of non-compliance with the corresponding safety measures |
|  | Notices and additional information |
|  | Hints and recommendations |
|  | Avoidance of errors or error messages |
|  | Options |
|  | Links |
|  | Steps with instructions for action |

2 Installation Instructions Windows Server 2019 Datacenter Hypervisor

You will find information below on how to prepare the Xesar 3.1 installation on a Windows server that uses the Windows Server 2019 Standard operating system versions or Datacenter as hypervisor.



The creation of the necessary IT and server environment is not part of these installation instructions. These must be provided by the customer and is not the responsibility of EVVA.

- » Check the system requirements for Xesar 3.1. **Before installation, you must confirm that the system requirements for Xesar 3.1 are met in accordance with the project checklist and system manual.**

Follow the current project checklist from EVVA:



<https://www.evva.com/uk-en/xesar>



We strongly recommend that the Xesar 3.1 installation is only carried out in close cooperation with the customer's responsible IT administrator.

2.1 Requirements

A physical server is setup with Microsoft Windows Server 2019 and configured as a hypervisor. On this a VM with current Ubuntu LTS server is installed on which Docker with Xesar 3.1 subsequently runs.

The following requirements must be met for a successful installation of Xesar 3.1 on a server running the Windows Server 2019 operating system:

- A physical server with an installed Windows Server 2019 / Datacenter operating system, from version 1607
- Configuration as hypervisor for VM (virtual machine) for Ubuntu LTS Server for Docker
- The user (customer) has Windows Server and network administration expertise
- The user (customer) has local administration rights
- There is an existing DHCP service (Dynamic Host Configuration Protocol)
- The Server time zone is set to UTC (Coordinated Universal Time)
- A Hyper-V support must be available, as well as a virtual switch with connectivity and access to the Internet
- Internet access must be available (Docker Trusted Registry with Notary Service and Licence Service, Port 443, 4443, 8072)
- The driver for the coding station must be installed, if necessary (HID Omnikey 5422 is usually detected automatically)




Due to the resource availability associated with the Windows Server, we recommend 16 GB (min. 8 GB) for the physical server. The VM requires at least 4 GB of memory.

As a general rule, the larger the system and the more people / traffic and online wall reader, the more memory should be available.

2.2 Set up Ubuntu

- » Enter command **sudo visudo** for the password prompt for sudo
- » At the following line to the end of the file that has now opened:
user ALL=(ALL) NOPASSWD: ALL
- » Replace the underlined word with the name of the user specified during the installation



```
GNU nano 2.9.3 /etc/sudoers.tmp Modified

# This file MUST be edited with the 'visudo' command as root.
#
# Please consider adding local content in /etc/sudoers.d/ instead of
# directly modifying this file.
# See the man page for details on how to write a sudoers file.
#
Defaults    env_reset
Defaults    mail_badpass
Defaults    secure_path="/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/snap/bin"

# Host alias specification

# User alias specification

# Cmnd alias specification

# User privilege specification
root    ALL=(ALL:ALL) ALL

# Members of the admin group may gain root privileges
%admin   ALL=(ALL) ALL

# Allow members of group sudo to execute any command
%sudo   ALL=(ALL:ALL) ALL

# See sudoers(5) for more information on "#include" directives:

#include::/etc/sudoers.d
user    ALL=(ALL) NOPASSWD: ALL
```

- » Save file (Ctrl+O and then ENTER)
- » Close file (Ctrl+X)

- » Create SSH key pair with **ssh-keygen** command. Name and password can be left blank - confirm with ENTER

```
shqadmin@ubuntumax:~$ ssh-keygen -t ecdsa -b 521
Generating public/private ecdsa key pair.
Enter file in which to save the key (/home/shqadmin/.ssh/id_ecdsa):
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /home/shqadmin/.ssh/id_ecdsa
Your public key has been saved in /home/shqadmin/.ssh/id_ecdsa.pub
The key fingerprint is:
SHA256:Y/IE6YgmH6qzn/Qh1ync9LTBlyBoyHT/ODri0DvTvPs shqadmin@ubuntumax
The key's randomart image is:
+---[ECDSA 521]---+
|
|  .
| 0 . .
| . + + .
| 0 + = + . .
| . * + = S 0
| * + = 0 =
| + B0= + +
| =00B00
```

- » Add the SSH Public Key to the authorised keys:
 - » **cd /home/user/.ssh/**
 - » **cat id_ecdsa.pub > authorized_keys**
cat id_ed25519.pub > authorized_keys
- » Replace the underlined word with the name of the user specified during the installation

```
shqadmin@ubuntumax:~$ cd /home/shqadmin/.ssh
shqadmin@ubuntumax:~/.ssh$ cat id_ecdsa.pub > authorized_keys
```

2.3 Install Ubuntu updates

Download and install the latest updates and then restart with the following commands:

- » **sudo apt-get update**
- » **sudo apt-get upgrade**
- » **sudo apt-get dist-upgrade**
- » **sudo apt-get autoremove**
- » **sudo reboot now**


2.4 Set up Windows 10 Pro Administrator PC

- » Download and install WINSCP (Windows Secure Copy) to transfer the SSH key

» <https://winscp.net/eng/download.php>

- » Start WINSCP


To do this, you will need the computer name, port, usernames and the password of the Ubuntu server that was previously set up.



The image shows the WINSCP Session dialog box. It has the following fields and controls:

- File protocol:** A dropdown menu set to "SFTP".
- Host name:** A text box containing "192.168.1.10".
- Port number:** A spinner box set to "22".
- User name:** A text box containing "user".
- Password:** An empty text box.
- Buttons:** "Save" and "Advanced..."

- » Display the files and folders cached in WINSCP (Ctrl+Alt+H)
- » Go to a folder on the local Windows PC (on the left ❶).
- » Go to the Ubuntu server in the ".ssh" folder on the right ❷
- » Select the files "id_rsa" und "d_rsa.pub" ❸
- » Click on **Download** ❹ to download the selected files onto the Windows PC.



- » Then download and install the latest version of Docker CE

» <https://docs.docker.com/docker-for-windows/release-notes/>

- » Restart Windows PC

» Check installation.


```
PS C:\Users\tatshar> docker version
Client: Docker Engine - Community
 Version:      18.09.2
 API version:  1.39
 Go version:   go1.10.8
 Git commit:   6247962
 Built:        Sun Feb 10 04:12:31 2019
 OS/Arch:     windows/amd64
 Experimental: false

Server: Docker Engine - Community
 Engine:
  Version:      18.09.2
  API version:  1.39 (minimum version 1.12)
  Go version:   go1.10.6
  Git commit:   6247962
  Built:        Sun Feb 10 04:13:06 2019
  OS/Arch:     linux/amd64
  Experimental: false
PS C:\Users\tatshar> docker-machine version
docker-machine.exe version 0.16.1, build cce350d7
PS C:\Users\tatshar> docker-compose version
docker-compose version 1.23.2, build 1110ad01
docker-py version: 3.6.0
CPython version: 3.6.6
OpenSSL version: OpenSSL 1.0.2o  27 Mar 2018
```

Use the following commands in the Powershell or Windows Console to create the Docker Machine:


» **cd "C:\Data\Projekte\EVVA\Teststellung\RSA keys" docker-machine create --driver generic --generic-ip-address 192.168.1.10 --generic-ssh-key id_rsa --generic-ssh-user user xesar3ubuntu180402**

- Replace **C:\Data\Projekte\EVVA\Teststellung\RSA keys** with the path into which you previously copied the files with WINSCP
- **192.168.1.10** is the IP address of the Ubuntu server, which was statically assigned during the installation
- **user** is the username of the Ubuntu server that was created during the installation
- **xesar3ubuntu180402** is the name that should be given to the Docker Machine



```
Windows PowerShell
PS C:\Users\tatshar> cd "C:\Data\Projekte\EVVA\Teststellung\RSA keys"
PS C:\Data\Projekte\EVVA\Teststellung\RSA keys> docker-machine create --driver generic --generic-ip-address 192.168.1.10 --generic-ssh-key id_rsa --generic-ssh-user user xesar3ubuntu180402
Creating CA: C:\Users\tatshar\.docker\machine\certs\ca.pem
Creating client certificate: C:\Users\tatshar\.docker\machine\certs\cert.pem
Running precreate checks...
Creating machine...
(xesar3ubuntu180402) Importing SSH key...
Waiting for machine to be running, this may take a few minutes...
Detecting operating system of created instance...
Waiting for SSH to be available...
Detecting the provisioner...
Provisioning with ubuntu(systemd)...
Installing Docker...
Copying certs to the local machine directory...
Copying certs to the remote machine...
Setting Docker configuration on the remote daemon...
Checking connection to Docker...
Docker is up and running!
To see how to connect your Docker Client to the Docker Engine running on this virtual machine, run: C:\Program Files\Docker\
ker\bin\docker-machine.exe env xesar3ubuntu180402
PS C:\Data\Projekte\EVVA\Teststellung\RSA keys>
```

- » Using the command **docker-machine ls** check that the Docker Machine is running



```

PS C:\Data\Projekte\EVVA\Teststellung\RSA keys> docker-machine ls
NAME                ACTIVE  DRIVER  STATE  URL             SWARM   DOCKER  ERRORS
-----                -----  -
xesar3ubuntu180402  +      generic Running tcp://192.168.1.10:2376  -      v18.09.2
PS C:\Data\Projekte\EVVA\Teststellung\RSA keys>

```

- » Connect the **coding station** via USB to your administrator PC
- » Insert your **AdminCard** into the card slot in the coding station.

2.5 Xesar 3.1 installation

- » Download the latest Xesar 3.1 software

» <https://www.evva.com/uk-en/products/electroniclockingsystem-saccesscontrolsystems/xesar/download-xesar-software/>


- » Open the Installation Manager

- » Select the tab **AdminCard**

- » Load the card reader ⑤

- » Load the AdminCard ⑥

- » Confirm the entry ⑦




- » Select the tab **Configuration**

- » Select the Xesar software version ⑧

- » Select the previously created Docking Machine ⑨

- » Confirm the entry ⑩



» Select the tab **Installations**

» Using the “+” button, 11 add a new system

| Installations Settings AdminCard About | | | | |
|--|------------------|---------|----|---------|
| Name | AdminCard | Version | On | Update |
| TestSrv2016 | 0003B2B840065C93 | 3.0.109 | | 3.0.208 |
| DevTest2016 | 0003ED3A918A582B | 3.0.208 | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

» Fill in the data 12

» Select the Docker Machine 13

» Set up the automatic backup 14

New Installation

12

Name: xesar3winsrv2016

Description:

Version: 3.0.208

AdminCard:

Internal Name:

Last automatic backup:

Web Port: 8080

Messaging Port: 1883

Security Port: 8200

OCI Port: 9081

13

Local

Docker Machine: SRV16

Docker Engine Host:

Domain:

Timezone: Europe/Berlin

Installation backup

Backup path: I:\Backup

14

Automatic backup


On start

On stop


✓ Daily at: 02:00

Backup

The system is created (important installation information is shown).




The most important system data are output in the document "Installation Information".




Important:

Without this data, the system can not be restored in the event of a fault.
Print "Installation Information" document and keep in a safe place.

- » Select the desired system
- » Start by clicking on the arrow 15



- » Log in with the login details you received in the "Installation Information" document (admin / password) 16
- » Click on the arrow 17



You will now be taken to the Xesar 3.1 dashboard and can operate the system.

www.evva.com