

EMZY EURO PROFILE



PRODUCT INFORMATION

SYSTEM PROPERTY

System type	electronic access systems offline access systems combined locking systems individual lockings
Building type recommended	residential properties residential complexes residential buildings for communities education health care industry and trade office buildings wholesale and retail hotels and catering cultural and leisure time infrastructure

FUNCTION

Media technology	AES encryption
Function	2 turn 1 turn simple App configuration
Signals	optical green: open red: locked
Encryption	AES encrypted data transfer
Interfaces	Bluetooth BLE third-party systems door contact deadbolt contact door button switch operating mode
Locking	adaptive torque automatic locking and unlocking

USE	
Design feature	for doors without electronic authorisation request
Installation situation	existing doors fire doors office doors heritage-protected areas main entrance doors metal frame doors safety doors connecting doors full-leaf doors apartment entrance doors
Humidity range	90% at 0°C
Ambient temperature	-20°C to +70°C
Type of power supply	mains adapter for control unit
Voltage type	DC

Subject to technical changes and printing errors.

USE



Voltage range	24V DC 230V AC
STANDARDS	
Standard	EN 1634-2
Certificate	SKG***
Directive	CE approved iP54 ingress protection rating
ASSEMBLY	
Assembly	for doors with backset \ge 35 fitting-independent from width \ge 40 mm assembly instructions ÖNORM B3850
Lock suitability	mortise locks in accordance with DIN, Austrian Standard
Design	modular system SY-MO
Design Hole pattern	Euro profile
Hole pattern INCLUDED COMPONENTS	Euro profile
Hole pattern INCLUDED COMPONENTS	Euro profile
Hole pattern INCLUDED COMPONENTS Included components VARIANT	Euro profile
Hole pattern INCLUDED COMPONENTS Included components VARIANT Finish	Euro profile EMZY motorised thumbturn cylinder, 3 spacers, Important information NI – Nickel NP – Polished Nickel MP – Polished brass CR – Chrome PS – Patinated black PB –
Hole pattern INCLUDED COMPONENTS Included components VARIANT	Euro profile EMZY motorised thumbturn cylinder, 3 spacers, Important information NI – Nickel NP – Polished Nickel MP – Polished brass CR – Chrome PS – Patinated black PB – Patinated brown
Hole pattern INCLUDED COMPONENTS Included components VARIANT Finish Thumb turn shape	Euro profile EMZY motorised thumbturn cylinder, 3 spacers, Important information NI – Nickel NP – Polished Nickel MP – Polished brass CR – Chrome PS – Patinated black PB – Patinated brown EBT – Bluetooth thumb turn K-NI – Nickel K-CR – Chrome K-MP – Polished brass K-NP – Polished Nickel K-PB – Patinated
Hole pattern INCLUDED COMPONENTS Included components VARIANT Finish Thumb turn shape	Euro profile EMZY motorised thumbturn cylinder, 3 spacers, Important information NI – Nickel NP – Polished Nickel MP – Polished brass CR – Chrome PS – Patinated black PB – Patinated brown EBT – Bluetooth thumb turn K-NI – Nickel K-CR – Chrome K-MP – Polished brass K-NP – Polished Nickel K-PB – Patinated
Hole pattern INCLUDED COMPONENTS Included components VARIANT Finish Thumb turn shape Thumbturn finish	Euro profile EMZY motorised thumbturn cylinder, 3 spacers, Important information NI – Nickel NP – Polished Nickel MP – Polished brass CR – Chrome PS – Patinated black PB – Patinated brown EBT – Bluetooth thumb turn K-NI – Nickel K-CR – Chrome K-MP – Polished brass K-NP – Polished Nickel K-PB – Patinated

IMAGES





DIMENSIONAL DRAWING

